



SPLINE DRIVE SOCKETS

SPECIFICATIONS


CONTENTS

6PT METRIC SPLINE DRIVE SOCKETS	2
6PT IMPERIAL SPLINE DRIVE SOCKETS	7
SPLINE DRIVE SOCKET ADAPTORS	12



6PT METRIC SPLINE DRIVE SOCKETS

Spline Drive Socket Size Guide





6pt Metric Spline Drive Sockets

Part Number	Size	D1	D2	L	T	C
95M19	19	48.0	60.0	70.0	9.5	26.0
95M20	20	48.0	60.0	70.0	10.0	26.0
95M21	21	48.0	60.0	70.0	10.0	26.0
95M22	22	48.0	60.0	70.0	10.0	26.0
95M23	23	48.0	60.0	70.0	12.0	26.0
95M24	24	49.0	60.0	70.0	12.0	26.0
95M25	25	49.0	60.0	70.0	13.0	26.0
95M26	26	51.0	60.0	70.0	13.0	26.0
95M27	27	51.0	60.0	70.0	13.0	26.0
95M28	28	51.0	60.0	70.0	14.0	26.0
95M29	29	54.0	60.0	70.0	14.0	26.0
95M30	30	54.0	60.0	70.0	16.5	26.0
95M31	31	60.0	60.0	75.0	16.5	31.0
95M32	32	60.0	60.0	75.0	16.5	31.0
95M33	33	60.0	60.0	75.0	17.0	31.0
95M34	34	60.0	60.0	77.0	17.0	33.0
95M35	35	60.0	60.0	77.0	19.0	33.0
95M36	36	63.0	60.0	77.0	19.0	33.0
95M37	37	63.0	60.0	77.0	19.0	33.0
95M38	38	63.0	60.0	80.0	22.0	36.0
95M39	39	67.0	60.0	80.0	22.0	36.0
95M40	40	67.0	60.0	80.0	22.0	36.0
95M41	41	67.0	60.0	80.0	22.0	36.0
95M42	42	67.0	60.0	80.0	21.5	36.0
95M43	43	67.0	60.0	84.0	25.0	40.0



6pt Metric Spline Drive Sockets (Cont.)

Part Number	Size	D1	D2	L	T	C
95M44	44	73.0	60.0	84.0	21.5	40.0
95M45	45	73.0	60.0	84.0	21.5	40.0
95M46	46	73.0	60.0	84.0	25.5	40.0
95M47	47	73.0	60.0	84.0	23.5	40.0
95M48	48	73.0	60.0	88.0	23.5	44.0
95M49	49	73.0	60.0	88.0	27.0	44.0
95M50	50	82.0	60.0	88.0	23.5	44.0
95M51	51	82.0	60.0	88.0	27.0	44.0
95M52	52	82.0	60.0	88.0	27.0	44.0
95M54	54	82.0	60.0	93.0	30.0	49.0
95M55	55	82.0	60.0	93.0	27.0	49.0
95M56	56	88.0	86.0	96.0	28.0	52.0
95M57	57	88.0	86.0	96.0	33.0	52.0
95M58	58	88.0	86.0	96.0	28.0	52.0
95M59	59	88.0	86.0	96.0	33.0	52.0
95M60	60	88.0	86.0	96.0	28.0	52.0
95M60	60	88.0	86.0	96.0	28.0	52.0
95M61	61	88.0	86.0	98.0	28.0	54.0
95M61	61	88.0	86.0	98.0	28.0	54.0
95M62	62	88.0	86.0	100.0	35.0	56.0
95M65	65	100.0	86.0	100.0	35.0	56.0
95M67	67	100.0	86.0	102.0	38.0	58.0
95M70	70	100.0	86.0	102.0	38.0	58.0
95M73	73	105.0	86.0	108.0	41.0	64.0
95M75	75	105.0	86.0	108.0	41.0	64.0
95M76	76	109.0	86.0	114.0	44.0	70.0
95M80	80	115.0	86.0	114.0	37.0	70.0



6pt Deep Metric Spline Drive Sockets

Part Number	Size	D1	D2	L	T	C
95M20L	19	48.0	60.0	160.0	9.5	116.0
95M21L	20	48.0	60.0	160.0	10.0	116.0
95M22L	21	48.0	60.0	160.0	10.0	116.0
95M22L	22	48.0	60.0	160.0	10.0	116.0
95M23L	23	48.0	60.0	160.0	12.0	116.0
95M24L	24	49.0	60.0	160.0	12.0	116.0
95M25L	25	49.0	60.0	160.0	13.0	116.0
95M26L	26	51.0	60.0	160.0	13.0	116.0
95M27L	27	51.0	60.0	160.0	13.0	116.0
95M28L	28	51.0	60.0	160.0	14.0	116.0
95M29L	29	54.0	60.0	160.0	14.0	116.0
95M30L	30	54.0	60.0	160.0	16.5	116.0
95M31L	31	60.0	60.0	160.0	16.5	116.0
95M32L	32	60.0	60.0	160.0	16.5	116.0
95M33L	33	60.0	60.0	160.0	17.0	116.0
95M34L	34	60.0	60.0	160.0	17.0	116.0
95M35L	35	60.0	60.0	160.0	19.0	116.0
95M36L	36	63.0	60.0	160.0	19.0	116.0
95M37L	37	63.0	60.0	160.0	19.0	116.0
95M38L	38	63.0	60.0	160.0	22.0	116.0
95M39L	39	67.0	60.0	160.0	22.0	116.0
95M40L	40	67.0	60.0	160.0	22.0	116.0
95M41L	41	67.0	60.0	160.0	22.0	116.0
95M42L	42	67.0	60.0	160.0	21.5	116.0




6pt Deep Metric Spline Drive Sockets-1

Part Number	Size	D1	D2	L	T	C
95M43L	43	67.0	60.0	160.0	25.0	116.0
95M44L	44	73.0	60.0	160.0	21.5	116.0
95M45L	45	73.0	60.0	160.0	21.5	116.0
95M46L	46	73.0	60.0	160.0	25.5	116.0
95M47L	47	73.0	60.0	160.0	23.5	116.0
95M48L	48	73.0	60.0	160.0	23.5	116.0
95M49L	49	73.0	60.0	160.0	27.0	116.0
95M50L	50	82.0	60.0	160.0	23.5	116.0
95M51L	51	82.0	60.0	160.0	27.0	116.0
95M52L	52	82.0	60.0	160.0	27.0	116.0
95M54L	54	82.0	60.0	160.0	30.0	116.0
95M55L	55	82.0	60.0	160.0	27.0	116.0
95M56L	56	88.0	86.0	160.0	28.0	116.0
95M57L	57	88.0	86.0	160.0	33.0	116.0
95M58L	58	88.0	86.0	160.0	28.0	116.0
95M59L	59	88.0	86.0	160.0	33.0	116.0
95M60L	60	88.0	86.0	160.0	28.0	116.0
95M61L	61	88.0	86.0	160.0	28.0	116.0
95M62L	62	88.0	86.0	160.0	35.0	116.0
95M65L	65	100.0	86.0	160.0	35.0	116.0
95M67L	67	100.0	86.0	160.0	38.0	116.0
95M70L	70	100.0	86.0	160.0	38.0	116.0
95M73L	73	105.0	86.0	160.0	41.0	116.0
95M75L	75	105.0	86.0	162.0	41.0	116.0
95M76L	76	109.0	86.0	162.0	44.0	118.0
95M80L	80	115.0	86.0	162.0	37.0	118.0

6PT IMPERIAL SPLINE DRIVE SOCKETS

Spline Drive Socket Size Guide





6pt Imperial Spline Drive Sockets

Part Number	Size	D1	D2	L	T	C
9512	3/4	1.890	2.362	2.730	0.374	1.006
9513	13/16	1.890	2.362	2.730	0.435	1.006
9514	7/8	1.890	2.362	2.730	0.512	1.006
9515	15/16	1.890	2.362	2.730	0.512	1.006
9516	1	1.929	2.362	2.730	0.512	1.006
9517	1 1/16	2.008	2.362	2.730	0.512	1.006
9518	1 1/8	2.008	2.362	2.730	0.650	1.006
9519	1 3/16	2.126	2.362	2.730	0.650	1.006
9520	1 1/4	2.362	2.362	2.925	0.669	1.203
9521	1 5/16	2.362	2.362	3.000	0.748	1.281
9522	1 3/8	2.362	2.362	3.000	0.748	1.281
9523	1 7/16	2.480	2.362	3.000	0.748	1.281
9524	1 1/2	2.480	2.362	3.125	0.866	1.400
9525	1 9/16	2.638	2.362	3.125	0.866	1.400
9526	1 5/8	2.638	2.362	3.125	0.866	1.400
9527	1 11/16	2.638	2.362	3.275	0.984	1.557
9528	1 3/4	2.874	2.362	3.275	1.000	1.557
9529	1 13/16	2.874	2.362	3.275	1.000	1.577
9530	1 7/8	2.874	2.362	3.432	1.063	1.715
9531	1 15/16	2.874	2.362	3.432	1.063	1.715
9532	2	3.228	2.362	3.432	1.063	1.715
9533	2 1/16	3.228	3.386	3.625	1.181	1.911
9534	2 1/8	3.228	3.386	3.625	1.181	1.911



6pt Imperial Spline Drive Sockets (Cont.)

Part Number	Size	D1	D2	L	T	C
9535	2 3/16	3.228	3.386	3.740	1.260	2.030
9536	2 1/4	3.465	3.386	3.740	1.299	2.030
9537	2 5/16	3.465	3.386	3.740	1.299	2.030
9538	2 3/8	3.465	3.386	3.822	1.378	2.108
9539	2 7/16	3.465	3.386	3.900	1.378	2.108
9540	2 1/2	3.937	3.386	3.900	1.378	2.108
9541	2 9/16	3.937	3.386	3.900	1.378	2.108
9542	2 5/8	3.937	3.386	3.978	1.496	2.266
9543	2 11/16	3.937	3.386	3.978	1.496	2.266
9544	2 3/4	3.937	3.386	3.978	1.496	2.266
9545	2 13/16	4.134	3.386	4.210	1.575	2.502
9546	2 7/8	4.134	3.386	4.210	1.614	2.502
9547	2 15/16	4.134	3.386	4.210	1.614	2.502
9548	3	4.291	3.386	4.446	1.732	2.738
9549	3 1/16	4.291	3.386	4.446	1.732	2.738
9550	3 1/8	4.291	3.386	4.446	1.732	2.738
9552	3 1/4	5.062	3.386	4.909	2.106	2.781
9553	3 5/16	5.062	3.386	4.909	2.106	2.781
9554	3 3/8	5.062	3.386	4.909	2.106	2.781
9556	3 1/2	5.129	3.386	4.909	2.106	2.781
9558	3 5/8	5.256	3.386	4.909	2.106	2.781
9560	3 3/4	5.309	3.386	4.909	2.106	2.781
9562	3 7/8	5.442	3.386	4.909	2.106	2.781
9564	4	5.511	3.386	4.909	2.106	2.781



6pt Deep Imperial Spline Drive Sockets

Part Number	Size	D1	D2	L	T	C
9512L	3/4	1.890	2.362	6.240	0.374	4.549
9513L	13/16	1.890	2.362	6.240	0.435	1.006
9514L	7/8	1.890	2.362	6.240	0.512	1.006
9515L	15/16	1.890	2.362	6.240	0.512	1.006
9516L	1	1.929	2.362	6.240	0.512	1.006
9517L	1 1/16	2.008	2.362	6.240	0.512	1.006
9518L	1 1/8	2.008	2.362	6.240	0.650	1.006
9519L	1 3/16	2.126	2.362	6.240	0.650	1.006
9520L	1 1/4	2.362	2.362	6.240	0.669	1.203
9521L	1 5/16	2.362	2.362	6.240	0.748	4.549
9522L	1 3/8	2.362	2.362	6.240	0.748	4.549
9523L	1 7/16	2.480	2.362	6.240	0.748	4.549
9524L	1 1/2	2.480	2.362	6.240	0.866	4.549
9525L	1 9/16	2.638	2.362	6.240	0.866	4.549
9526L	1 5/8	2.638	2.362	6.240	0.866	4.549
9527L	1 11/16	2.638	2.362	6.240	0.984	4.549
9528L	1 3/4	2.874	2.362	6.240	1.000	4.549
9529L	1 13/16	2.874	2.362	6.240	1.000	4.549
9530L	1 7/8	2.874	2.362	6.240	1.063	4.549




6pt Deep Imperial Spline Drive Sockets (Cont.)

Part Number	Size	D1	D2	L	T	C
9531L	1 15/16	2.874	2.362	6.240	1.063	4.549
9532L	2	3.228	2.362	6.240	1.063	4.549
9533L	2 1/16	3.228	3.386	6.240	1.181	4.549
9534L	2 1/8	3.228	3.386	6.240	1.181	4.549
9535L	2 3/16	3.228	3.386	6.240	1.260	4.549
9536L	2 1/4	3.465	3.386	6.240	1.299	4.549
9537L	2 5/16	3.465	3.386	6.240	1.299	4.549
9538L	2 3/8	3.465	3.386	6.240	1.378	4.549
9539L	2 7/16	3.465	3.386	6.240	1.378	4.549
9540L	2 1/2	3.937	3.386	6.240	1.378	4.549
9541L	2 9/16	3.937	3.386	6.240	1.378	4.549
9542L	2 5/8	3.937	3.386	6.240	1.496	4.549
9543L	2 11/16	3.937	3.386	6.240	1.496	4.549
9544L	2 3/4	3.937	3.386	6.240	1.496	4.549
9545L	2 13/16	4.134	3.386	6.240	1.575	4.549
9546L	2 7/8	4.134	3.386	6.240	1.614	4.549
9547L	2 15/16	4.134	3.386	6.240	1.614	4.549
9548L	3	4.291	3.386	6.240	1.732	4.628
9549L	3 1/16	4.291	3.386	6.310	1.732	4.628
9550L	3 1/8	4.291	3.386	6.310	1.732	4.628

SPLINE DRIVE SOCKET ADAPTORS

Spline Drive Socket Size Guide





Spline Drive Adaptors

Part Number	Size Female	Size Male	Description	D1	D2	L (inch)	T	C	Weight
A9516	# 5 Spline	1"	Adaptor						
A9524	# 5 Spline	1 1/2"	Adaptor						
A2495	1 1/2"	#5 Spline	Adaptor						
U9595			Universal Joint						
95UK1			Universal Joint Repair Kit						
95UK2			Universal Joint Repair Kit						
95UK3			Universal Joint Repair Kit						
E9508			Extension			8.00			
E9515			Extension			15.00			